



## MEIBOMIAN GLAND DYSFUNCTION

**Meibomian Gland Dysfunction (MGD)** is a condition that affects the meibomian glands located in the eyelids. These glands are responsible for secreting oils that contribute to the tear film layer to prevent the tear film layer from evaporation, essential for eye health & comfort. MGD is characterized by a chronic, diffuse abnormality of the meibomian glands, typically resulting from terminal duct obstruction and/or changes in glandular secretion. This condition can lead to alterations in the tear film, symptoms of eye irritation, clinically apparent inflammation, and ocular surface disease



Blurry vision



Dry eyes



Irritated eyes



Red eyes



Sore eyes

The meibomian glands, which are large modified sebaceous glands, play a vital role in eye health by producing meibum.<sup>1</sup> This process ensures the continuous production and delivery of meibum, which is essential for the formation of the tear film lipid layer (TFLL). The TFLL is critical for promoting tear film stability and protecting the eye against evaporation.<sup>2</sup>

Understanding MGD is crucial for recognizing the importance of the meibomian glands in maintaining ocular surface health and the potential impact of their dysfunction on eye comfort and vision.

By addressing the underlying issues causing MGD, such as improving gland function and ensuring proper lipid layer formation in the tear film, it's possible to alleviate symptoms and prevent further ocular surface disease. This explanation highlights the fundamental aspects of MGD, focusing on its definition, the role of meibomian glands, and the consequences of their dysfunction on the eye's health.

## CAUSES

### WHAT CAN CAUSE MGD?

Understanding the culprits behind Meibomian Gland Dysfunction (MGD) can be a real eye-opener, quite literally! MGD, a common yet often overlooked condition, can significantly impact our eye health and comfort.



**Firstly, age is a significant factor.** As we get older, changes in our meibomian glands can lead to decreased lipid production and altered lipid composition, contributing to MGD. This is particularly noted in individuals over 60 years<sup>3</sup>.

**Our modern lifestyle also plays a role, especially prolonged screen time.** Staring at computer screens reduces our blink rate, leading to decreased lipid delivery from the meibomian glands and, consequently, MGD. Studies have shown a strong association between extensive computer use and MGD, highlighting the importance of taking regular breaks and practicing good screen hygiene<sup>4,5</sup>.

**Hormonal changes**, particularly due to menopause, can influence meibomian gland function. Hormone Replacement Therapy (HRT), for instance, has been linked with an increased risk of developing MGD among postmenopausal women, underscoring the complex interplay between hormones and eye health<sup>6</sup>.

**Infections and infestations**, such as chronic anterior blepharitis and Demodex mite infestation, can lead to MGD by affecting the eyelid margins and meibomian gland function. These conditions create a hostile environment for the glands, contributing to the dysfunction<sup>2</sup>.

**In summary, MGD can stem from a variety of sources, ranging from natural aging processes and hormonal changes to lifestyle factors and infections. Understanding these can help in managing and, hopefully, mitigating the symptoms associated with MGD. So, whether it's adjusting screen time, addressing hormonal imbalances, or tackling eyelid infections, there are steps we can take to keep our eyes healthier and more comfortable. Remember, a little awareness goes a long way in preserving our eye health!**

## SYMPTOMS

### WHAT ARE THE SYMPTOMS OF MGD?

Meibomian Gland Dysfunction (MGD) can be a tricky condition to pin down, especially since it affects a part of our eyes we rarely think about: the meibomian glands. These glands are tucked away in our eyelids and are responsible for secreting oils that keep our tear film stable and eyes comfortable. When they don't function properly or when they are stuck by waxy deposits, it can lead to a range of uncomfortable symptoms.

**First off, let's talk about what might tip you off to having MGD.** You might feel like there's something in your eye, an irritating, persistent sensation that's hard to shake off. Imagine the **feeling of sand** or grit trapped under your eyelid; that's how some people describe it.

**Dryness is another common complaint.** It seems like a more persistent dryness that makes it feel like your eyes can't maintain their natural moisture. You might find yourself reaching for eye drops more often than seems normal, only to find temporary relief<sup>7</sup>.

**Finally, let's talk about contact lenses.** If you're a lens wearer and start finding them increasingly uncomfortable, or if your eyes feel unusually irritated with lenses in, MGD could be playing a role. The lack of proper lubrication and tear film stability can make wearing contacts feel like a chore rather than the convenience it should be<sup>8</sup>.

**If any of these symptoms sound familiar, it's worth considering whether MGD might be the cause. Remember, this condition is all about the health of those tiny glands in your eyelids, so regular eye hygiene and consulting with an eye care professional can make a big difference. While MGD can be a nuisance, understanding and addressing it can help keep your eyes comfortable and your vision clear.**

## DIAGNOSTIC

### HOW TO DIAGNOSE AN MGD PROBLEM?

Diagnosing Meibomian Gland Dysfunction (MGD) involves understanding your symptoms, assessing risk factors, and a clinical examination. MGD can be asymptomatic or symptomatic, with symptoms like eye dryness, irritation, and fluctuating vision often confused with dry eye disease. Common risk factors include aging, contact lens use or hormonal changes.



**During a clinical exam, a healthcare professional will look for signs of MGD which include changes in the eyelid margins, the quality and expressibility of meibomian secretions, and the health of your tear film.** Diagnostic techniques include slit lamp examination to assess the eyelid margins and meibomian gland function, and meibography to evaluate gland structure.<sup>8,9</sup>

Understanding these aspects can help in the accurate diagnosis and management of MGD, enhancing your eye comfort and health. If you're experiencing symptoms, consider discussing these aspects with your eye care professional to explore the possibility of MGD.

## TREATMENT

### WHAT TREATMENTS ARE AVAILABLE FOR MGD?

When it comes to managing Meibomian Gland Dysfunction (MGD), it's all about enhancing the quality and quantity of your meibomian gland secretions, which in turn can significantly improve symptoms like eye dryness, irritation, and blurred vision. The treatment strategy typically involves a straightforward, three-step routine: lid warming, massaging, and cleansing. This approach can be highly beneficial for patients and is usually the first line of defense against MGD??.

- **Eyelid Warming:** This is a fundamental step in treating MGD. The warmth helps melt the waxy deposits blocking the meibomian glands, allowing the natural oils to flow more freely and stabilize the tear film on your eyes. The melting point of this wax is approximately 35°C. Therefore, you must ensure to heat the glands to this temperature, without exceeding it to avoid any risk of burns. Techniques can range from simple warm compresses to more sophisticated devices designed to maintain consistent heat. This process not only alleviates discomfort but also aids in the overall health of the eye's surface.
- **Massaging:** After warming, the next step often involves gently pressing or massaging the eyelids, preferably vertically, from top to bottom to squeeze out the clogged oil from the glands. This can be done manually or with the help of specialized tools by a healthcare professional. The goal is to clear out the blockages and allow the glands to function properly, which in turn helps to reduce symptoms and prevent further stagnation of the secretions<sup>10,11</sup>.
- **Cleansing:** The last step of this three-step eyelid routine is about cleansing the eyelids. This routine can improve meibum quality and reduce ocular irritation symptoms in patients with MGD.
- **Lid Margin Exfoliation:** Over time, dead skin cells and other debris can accumulate at the edge<sup>12</sup> of your eyelids, leading to further blockages. Exfoliating these areas can help keep the openings of the meibomian glands clear.
- **Intense Pulsed Light (IPL) Therapy:** It targets inflammation and blockages with light pulses, which can help to reduce eyelid redness, kill off harmful bacteria, and unclog the meibomian glands.<sup>13</sup>

It's important to remember that while these treatments can be very effective, managing MGD is often a long-term commitment. Regularly following the prescribed treatment routine and consulting with your eye care professional for tailored advice are key steps towards keeping your eyes comfortable and your vision clear. If you're struggling with symptoms of dry eyes or believe you might have MGD, it's a good idea to reach out to an eye care specialist who can guide you through the diagnosis and recommend the best treatment plan for your specific needs.

## WHAT IS MEIBOMIAN GLAND DYSFUNCTION (MGD)?

**Meibomian Gland Dysfunction (MGD) is a condition that affects the meibomian glands located in the eyelids.** These glands are responsible for secreting oils that contribute to the tear film layer to prevent the tear film layer from evaporation, essential for eye health & comfort. MGD is characterized by a chronic, diffuse abnormality of the meibomian glands, typically resulting from terminal duct obstruction and/or changes in glandular secretion. This condition can lead to alterations in the tear film, symptoms of eye irritation, clinically apparent inflammation, and ocular surface disease

## HOW IS MGD RELATED TO DRY EYES?

**Meibomian Gland Dysfunction (MGD) is a condition that affects the meibomian glands located in the eyelids.** These glands are responsible for secreting oils that contribute to the tear film layer to prevent the tear film layer from evaporation, essential for eye health & comfort. MGD is characterized by a chronic, diffuse abnormality of the meibomian glands, typically resulting from terminal duct obstruction and/or changes in glandular secretion. This condition can lead to alterations in the tear film, symptoms of eye irritation, clinically apparent inflammation, and ocular surface disease

## WHAT ARE THE PRIMARY STEPS INVOLVED IN EYELID HYGIENE FOR MGD?

**Meibomian Gland Dysfunction (MGD) is a condition that affects the meibomian glands located in the eyelids.** These glands are responsible for secreting oils that contribute to the tear film layer to prevent the tear film layer from evaporation, essential for eye health & comfort. MGD is characterized by a chronic, diffuse abnormality of the meibomian glands, typically resulting from terminal duct obstruction and/or changes in glandular secretion. This condition can lead to alterations in the tear film, symptoms of eye irritation, clinically apparent inflammation, and ocular surface disease

## WHY IS EYELID HYGIENE CRUCIAL FOR INDIVIDUALS WITH MGD?

**Meibomian Gland Dysfunction (MGD) is a condition that affects the meibomian glands located in the eyelids.** These glands are responsible for secreting oils that contribute to the tear film layer to prevent the tear film layer from evaporation, essential for eye health & comfort. MGD is characterized by a chronic, diffuse abnormality of the meibomian glands, typically resulting from terminal duct obstruction and/or changes in glandular secretion. This condition can lead to alterations in the tear film, symptoms of eye irritation, clinically apparent inflammation, and ocular surface disease